| 1 | FOFULATIO | N COLINAL | _0 | I | - I L NW OANL | _ | LOCAL HEAL | III DEFARIN | |
|------------|---|-----------------|---------------|---|---------------|------------------------|---|-------------|---------------|
| To+01 00 | 004 Donulot | -ion | 44 410 | Community Option | AM bas sa | Mairon | | | Per 10,000 |
| 10ta1 20 | 004 Populat | 11011 | 44,410 | | | | 0+-44: | Nila a .a | 10,000 |
| D | | | 400 | as HSRS reports | COSTS TO | Services | Staffing - FTE | Nulliper. | Population |
| Populat | ion per so | quare mile | 139 | | | | Total staff Administrative | 9.6 | 2.9 |
| County | / ranking i | ın state (| 1-72) 18 | | Clients | Costs | Administrative | 2.0 | 0.6 |
| | | | | COP MA Waiver * | 4 | \$106,066 | Public health nurs Other prof. staff | es 4.3 | 1.3 |
| Age | Female | Male | Total | MA Waiver * | | | Other prof. staff Technical/Paraprof Support staff | 0.6 | 0.2 |
| 0-14 | 4,790 | 5,060 | 9,860 | CIP1A | 2 | \$124,753 | Technical/Paraprof | | |
| 15-19 | 1,630 | 1,660 | 3,280 | CIP1B | 117 | \$2.932.301 | Support staff | 2.7 | 0.8 |
| 20-24 | 1,310 | 1,300 | 2,610 | CTP2 | 7 | \$192,401 | 2.00 | | |
| 25-29 | 1,190 | 1,300 | 2,490 | COP-W | 90 | \$584 541 | Funding Total | | Per capita |
| 30-34 | 1,440 | 1,460 | 2,900 | CLTS | 16 | \$216 120 | Total | \$656 121 | \$19.81 |
| 35-39 | 1,790 | 1,800 | 3,600 | Drain Triuny | 10 | \$140,129 \$140,770 | Local Taxes | \$454 302 | \$13.72 |
| | 1,790 | 0.040 | 4 020 | Totall Illjuly | 020 | Φ142,772 Φ4 000 060 | LUCAL TAXES | φ434,30Z | φ13.72 |
| 40-44 | 1,990 | 2,040 | 4,030 | MA Walver * CIP1A CIP1B CIP2 COP-W CLTS Brain Injury Total COP/Wvrs | 238 | \$4,298,903 | L TOENOED E | OTABL TOURS | NTO |
| 45-54 | 3,400 | 3,490 | 6,880 | | | | LICENSED E | 21ABL12HME | N15 |
| 55-64 | 2,010 | 2,080 | 4,090 | | | waiver costs | _ | | |
| 65-74 | 1,270 | 1,120 | 2,380 | were paid as lo | ocal match | n/overmatch | Type | Capacity | Facilities |
| 75-84 | 930 | 730 | 1,650 | using COP funds | s. This a | amount is | Bed & Breakfast | 17 | 5 |
| 85+ | 430 | 210 | 640 | not included in | n above CO | OP costs. | Type Bed & Breakfast Camps Hotels, Motels Toolist Rooming | 323 | 4 |
| Total | 22,180 | 22,230 | 44,410 | | | | Hotels, Motels | 121 | 6 |
| | ĺ | • | • | * Waiver costs | reported | here | Tourist Rooming | 19 | 6 |
| Age | Female | Male | Total | include federa | | | Pools | | 9 |
| 0-17 | 5,730 | 6,070 | 11,810 | | | , - | Restaurants | | 156 |
| 18-44 | 8,410 | 8,550 | 16,960 | 1 | Clients | Costs | Vending | | 2 |
| 1 | | 5,570 | 10,970 | Eligible and | OTTCHES | 00313 | Vending | | _ |
| 65+ | 2,410 | 2,060 | 4,670 | Waiting | 0 | n / n | | | |
| To+o1 | 5,410 2,630 22,180 | 2,000 | 4,070 | Walting | U | 11/a | | | |
| Total | 22,180 | 22,230 | 44,410 | (Family, Oans, no. | | | WTO DAD | TTOTDANTO | |
| Davis and | | f 0000 | | (Family Care not | r brostaec | i in county) | WIC PAR | 1101PAN15 | |
| Poverty | Estimates . | Tor 2000 | · • • · · · · | | | | | | |
| | Est | timate | (C.I.+/-) | | | | | | Number |
| All ag | ges | 1,423 | 143 | Note: Eligible a | | | Pregnant/Postpartu | n | 302 |
| | | 3.5% | (10%) | will be phase | | e COP and MA | Infants | | 309 |
| Ages 0 |)-17 | 531 | 83 | Waivers as ava | ailable. | | Children, age 1-4 | | 443 |
| | jes)-17 | 4.6% | (16%) | | | | Total | | 1,054 |
| | | | , | | | | | | , |
| | EMPL | OYMENT | | | | | CANCER INC | IDENCE (20 | 03) |
| | age for jo | | | Home Health Ager | ncies | 1 | Primary Site | (| , |
| hy unemn1 | Loyment con | nnensation | \$26 986 | Patients | 10100 | 349 | Breast | | 30 |
| (place of | | iiperioa e zori | Ψ20,300 | Patients per 10 | 000 non | | Cervical | | 1 |
| (brace or | work) | | Annual | l lactenes per it | o,000 pop. | . 19 | Colorectal | | 25 |
| Lobon For | ce Estimat | -00 | Alliluat | Nuncing Homes | | 3 | | | 16 |
| Labor, For | ce Estimat | Les | Average | Nursing Homes | | 011 | Lung and Bronchus | | |
| 0 | | | 05 504 | Licensed beds | | 211 | Prostate | | 34 |
| Civilian | ı Labor For | rce | 25,524 | Occupancy rate | 0.4 | 86.5% | Other sites | | 74 |
| Number | , emb⊤o⊼eq | | 24,515 | Residents on De | | 177 | Total | | 180 |
| Number | n Labor For r employed r unemploye ployment ra | ed | 1,009 | Residents age | 65 or olde | er | | _ | |
| Unemp | oloyment ra | ate | 4.0% | per 1,000 popu | ulation | 35 | Note: Totals shown | | |
| | | | | | | | invasive canc | ers only. | |
| | | | | | | | | | |

------ POPULATION ESTIMATES ------- LONG-TERM CARE ------ LOCAL HEALTH DEPARTMENTS ------

| TOTAL LIVE BIRTHS | | 701 | Birth Or | NATA rder | Births | Percent | Marital | Status | | |
|-----------------------------|-----------|---------------|--|--------------|--------------|-------------|------------|----------------------|----------|---------|
| 101/16 ETAE DIIIIIIO 101 | | First | | 277 40 | | of Moth | | Births | Percent | |
| Crude Live Birth Rate 15.8 | | Second | | 240 | 34 | Married | | 591 | 84 | |
| | | Third | 4 | 119 | 17 | | u rried | 110 | 16 | |
| General Fertility Rate 74.9 | | | | n or higher | | 9 | Unknow | | 0 | 0 |
| liva bimtha with mama | ام الحم | | | | | | Ulikilow | 11 | U | U |
| Live births with repo | | | Unknov | vn | 1 | <.5 | | | | |
| congenital anomalies | 1 | 2 1.7% | | | | | Educati | | - | |
| | | | | | | | of Moth | | Births | Percent |
| Delivery Type | Births | Percent | 1st Prer | natal Visit | | Percent | | tary or les | | 2 |
| Vaginal after | | | 1st tr | rimester | 622 | 89 | Some h | igh school | | 7 |
| previous cesarean | 8 | 1 | 2nd tr | rimester | 66 | 9 | High s | chool | 172 | 25 |
| Forceps | | | 3rd tr | rimester | 10 2 1 | 1 | | | 182 | 26 |
| Other vaginal | 554 | 1 79 12 | No vis | sits | 2 | <.5 | Collea | ollege e graduate | 282 | 40 |
| Primary cesarean | 86 | 12 | Unknov | vn | 1 | <.5 | Unknow | n g. aaaaco n | 2 | <.5 |
| Repeat cesarean | 48 | 7 | Ommon | *** | • | .10 | Omariow | | _ | |
| nepeat cesarean | 40 | , | Dronata] | L Visits | Births | Percent | Smokina | Status | | |
| Birthweight | Births | Darcar+ | No vis | | 2 | <.5 | of Moth | | Births | Percent |
| | DTI (112 | 0.4 | 1-4 | DILO | 12 | \.5 2 | Smoker | | 70 | 10 |
| <1,500 gm | 3 40 | 0.4 | | | | | | | | |
| 1,500-2,499 gm 2,500+ gm | 40 | 5.7 | 5-9 | | 128 | 18 | Nonsmo | | 629 | 90 |
| 2,500+ gm | 657 | | 10-12 | | 375 | 53 | Unknow | n | 2 | <.5 |
| Unknown | 1 | <.5 | 13+ | | 183 | 26 | | | | |
| | | | Unknov | vn | 1 | <.5 | | | | |
| | | | Low Birth | | | Tnimoct | on of Fin | | | |
| | LOW PILCI | FOO am | Trimester of First Prenatal 1st Trimester 2nd Trimester | | | | | Unknown | | |
| Doos / Ethnicity | Dintha F | | (under 2 | , 500 gili) | ISC III | Tilleg fel. | | | | |
| Race/Ethnicity | Births F | ercent | | Percent | Births | Percent | | Percent | | Percent |
| White | 637 | 91 | 37 | 5.8 | 5// | 91 | | 8 | 12 | 2 |
| Black/Afr.American | 3 | <.5 | * | • | * | • | * | | * | |
| American Indian | 5 | 1 | | • | 5 | 100 | • | | | |
| Hispanic/Latino | 31 | 4 | 2 | 6.5 | 19 | 61 | 11 | 35 | 1 | 3 |
| Laotian/Hmong | 10 | 1 | 3 | 30.0 | 6 | 60 | 4 | 40 | | |
| Other/Unknown | 15 | 2 | 1 | 6.7 | 12 | 80 | 3 | 20 | | |
| | | | | | | | | | | |
| | - | | Low Birth | nweight | 4 - L T - | Trimest | | st Prenatal | | |
| A 6 Marth | | rtility | (under 2 | ,500 gm) | ist ir | Tillester | | imester | | Unknown |
| Age of Mother | Births | Rate | `Births É | rercent | Births | Percent | Births | Percent | Births | Percent |
| <15 | 0 | | • | | • | . • | | • | | . • |
| 15-17 | 7 | 7 | 1 | 14.3 | 3 | 43 | 3 | 43 | 1 | 14 |
| 18-19 | 24 | 35 | 2 | 8.3 | 13 | 54 | 10 | 42 | 1 | 4 |
| 20-24 | 113 | 86 | 5 | 4.4 | 90 | 80 | 17 | 15 | 6 | 5 |
| 25-29 | 261 | 219 | 17 | 6.5 | 236 | 90 | 22 | 8 | 3 | 1 |
| 30-34 | 200 | 139 | 12 | 6.0 | 186 | 93 | 12 | 6 | 2 | 1 |
| 35-39 | 77 | 43 | 1 | 1.3 | 76 | 99 | 1 | 1 | _ | • |
| 40+ | 19 | 10 | 5 | 26.3 | 18 | 95 | i | 5 | • | • |
| Unknown | 0 | | 3 | 20.0 | 10 | 30 | ! | 5 | • | • |
| | U | | | | | | | | | |
| OHKHOWH | | | | | | | | | | |

PAGE 2

| MORBIDITY | | | | | | |
|--|-------------------------------------|--------------------------|---------------------------|--|-----------------------|-------------|
| REPORTED CASES OF SELECTED DISEASES* | neonatal, and Perinatal and | d postneor d fetal de | natal death eath rates | per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than | ve births. hs plus | |
| Disease Number Campylobacter Enteritis 9 Giardiasis <5 | TOTAL DEATHS Crude Death Ra | ate | 273 615 | Selected Underlying Cause Heart Disease (total) | 56 | Rate 126 |
| Hepatitis Type A <5 Hepatitis Type B** 0 Hepatitis NANB/C 13 | Age 1-4 | Deaths | Rate | Ischemic heart disea Cancer (total) Trachea/Bronchus/Lur | 73 | 83 164 |
| Legionnaire's 0 Lyme 0 Measles 0 | 5-14 15-19 20-34 | 1 3 4 | | Colorectal Female Breast Cerebrovascular Disea | 10 6 | .* |
| Meningitis, Aseptic <5 Meningitis, Bacterial <5 | 35-54 55-64 | 19 22 | 538 | Lower Resp. Disease Pneumonia & Influenza | 13 1 3 | 45 |
| Mumps 0 Pertussis 17 Salmonellosis <5 | 65-74 75-84 85+ | 53 87 82 | 2,222 5,250 12,833 | Accidents Motor vehicle Diabetes | 16 7 7 | : |
| Shigellosis 0 Tuberculosis 0 | | 02 | 12,000 | Infect./Parasitic Dis Suicide | 5. 5 3 | : |
| * 2004 provisional data. ** Includes all positive HBsAg | Infant Mortality Total Infant | Deaths 2 | Rate | * Based on female pop | oulation. | |
| test results. | Neonatal Postneonatal | 1 | : | ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA | | |
| Sexually Transmitted Disease Chlamydia Trachomatis 39 | Unknown Race of Mother | • | • | Alcohol Tobacco Use | 4 44 | 99 |
| Genital Herpes 5 Gonorrhea <5 Syphilis 0 | White Black Hispanic | 2 | | Other Drugs | 2 | • |
| Зурпітіз | Laotian/Hmong Other/Unknown | | • | MOTOR VEHIC | | |
| IMMUNIZATIONS | Birthweight <1,500 gm | | | Note: These data are of crash, not | | |
| Children in Grades K-12 by Compliance Level | 1,500-2,499 gm 2,500+ gm | i 1 | | Type of Motor Vehicle Crash Total Crashes | Persons F Injured | Killed |
| Compliant 5,258 Non-compliant 41 Percent Compliant 99.2 | Unknown Perinatal | • | • | Total Crashes Alcohol-Related With Citation: | 287 24 | 11 3 |
| 33.2 | Mortality Total Perinatal | 9 | | For OWI For Speeding Motorcyclist | 18 | 1 |
| | Neonatal Fetal | 1 8 | | Motorcyclist Bicyclist Pedestrian | 11 4 2 | 1 0 0 |

| | | Per | Average | | Charge | | | Per | Average | | Charge |
|---|------------|---------|---------|----------------|------------|------------------------------|-----------|---------|---------|-------------|-------------------|
| DISEASE / | | 1,000 | Stay | Average | | DISEASE / | | 1,000 | Staÿ | Average | |
| AGE GROUP N | lumber | Р́ор | (Days) | Charge | Capita | AGE GROUP | Number | Р́ор | (Days) | Charge | Capita |
| Injury-Related: A | 11 | | | | | Alcohol-Related | | | | | |
| Total | 163 | 3.7 | 3.5 | \$13,657 | \$50 | Total | 31 | 0.7 | 2.9 | \$4,167 | \$3 |
| <18 | 7 | | | Ţ.c,c. | | | 22 | 1.3 | | | \$5 |
| 18-44 | 38 | 2.2 | 3.3 | \$13,020 | \$29 | 18-44 45-64 | 7 | | -:- | | |
| <18 18-44 45-64 | | | 4.2 | \$18,056 | \$51 | Pneumonia and I | | - | - | - | - |
| 45-64 65+ | 87 | 18.6 | 3.5 | \$12,911 | \$240 | Total | 58 | 1.3 | 4.2 | \$7,971 | \$10 |
| Injury: Hip Fra | | | | Ψ·=,··· | 4 5 | <18 | | | | • • • • | |
| Total | 23 | 0.5 | 4.0 | \$16,487 | \$9 | 45-64 | 5 | - | _ | _ | _ |
| 65+ | 23 | 4.9 | | \$16,487 | \$81 | 45-64 65+ | 47 | 10.0 | 4.2 | \$8,040 | \$81 |
| Injury: Poisoni | | | | + , | Ψ | Cerebrovascular | | | | +-,- | Ψ |
| Total | 8 | | | _ | | Total | 61 | 1.4 | 3.8 | \$13,960 | \$19 |
| 18-44 | 5 | | - | - | | Total 45-64 65+ | 11 | | _ | | |
| | • | - | - | - | - | 65+ | 47 | 10.0 | 3.6 | \$11,536 | \$11 6 |
| Psychiatric | | | | | | Chronic Obstruc | tive Pulm | | | , | 4 |
| Ťotal | 134 | 3.0 | 7.2 | \$7,077 | \$21 | l Total | 34 | 0.8 | 3.4 | \$6,717 | \$5 |
| <18 18-44 45-64 | 26 | 2.2 | 14.4 | \$12,984 | \$29 | <18 | 4 | | | Ψο, | |
| 18-44 | 77 | 4.5 | | \$5,198 | \$24 | <18 18-44 45-64 65+ | Ö | | | - | - |
| 45-64 | 23 | 2.1 | 6.0 | \$6,661 | \$14 | 45-64 | 3 | | | - | - |
| 65+ | | | | • | • • | 65+ | 27 | 5.8 | 3.3 | \$6,933 | \$40 |
| | _ | - | - | - | - | Drug-Related | | | | +-, | Ψ.0 |
| Coronary Heart Di | sease | | | | | Total | 7 | _ | _ | _ | _ |
| Total | 92 | 2.1 | 3.2 | \$27,601 | \$57 | Total 18-44 | 3 | | | - | - |
| 45-64 | 32 | 2.9 | 3.1 | \$33,268 | \$97 | | _ | - | - | - | - |
| 65+ | 5 7 | 12.2 | 3.2 | \$25,082 | \$305 | Total Hospitali | zations | | | | |
| | ٠, | | 0.2 | 420,002 | 4000 | Total | 2,448 | 55.1 | 3.6 | \$10,609 | \$585 |
| Malignant Neoplas | ms (Ca | ncers): | A11 | | | /10 | 161 | 39.3 | | \$5,181 | \$204 |
| Total | 94 | 2.1 | 4.9 | \$17,469 | \$37 | 18-44 45-64 65+ | 682 | | 2.9 | \$6,944 | \$279 |
| 18-44 | 3 | | | Ψ.,, | | 45-64 | 409 | 37.3 | 4.0 | \$16,586 | \$619 |
| 45-64 | 33 | 3.0 | 3.9 | \$16,425 | \$49 | 65+ | 893 | 190.8 | 4.2 | \$13,490 | \$2.574 |
| Malignant Neoplas Total 18-44 45-64 65+ | 57 | 12.2 | 5.5 | \$16,979 | \$207 | | | | | Ţ.c, .c. | + =, |
| | | | + + | £ ~ ~ ~ ~ ~ ~ | | PR | EVENTABLE | HOSPIT | ALTZATT | ONS* | |
| Total | 8 | | | · · | | Total | 245 | | 3.6 | \$7,245 | \$40 |
| Neoplasms: Colo | -recta | 1 | • | - | - | <18 | 21 | | 2.9 | \$9,122 | \$16 |
| Total | 18 | - | | | - | 18-44 | 17 | 1.0 | | \$5,952 | \$6 |
| 65+ | 14 | | | - | | 18-44 45-64 | 37 | 3.4 | | \$8,961 | \$30 |
| Neoplasms: Lung | | - | - | - | - | 65+ | 170 | | | \$6,769 | \$246 |
| Total | 7 | | | | | | 3 | | | +-, | +- - ·- |
| Diabetes | | | | | | * Hospitalizations | for cond | itions | where t | imelv and | effectiv |
| Total | 22 | 0.5 | 3.8 | \$9,559 | \$5 | ambulatory care ca | n reduce | the lik | elihood | of hospi | talizatio |
| 65+ | 8 | | | | | | | | | | |
| | · | • | • | - | • | | | | | | |
| | | | | | | | | | | | |

PAGE 4